



Amning – Regiongemensam rutin i VGR

Referenser

Amningsrutin

Amnings och bröstmjölakens fördelar

Chowdhury, R., Sinha, B., Sankar, M. J., Taneja, S., Bhandari, N., Rollins, N., Bahl, R., & Martines, J. (2015). Breastfeeding and maternal health outcomes: a systematic review and meta-analysis. *Acta paediatrica (Oslo, Norway : 1992)*, 104(467), 96–113.

<https://doi.org/10.1111/apa.13102>

Hörnell, A., Lagström, H., Lande, B., & Thorsdottir, I. (2013). Breastfeeding, introduction of other foods and effects on health: a systematic literature review for the 5th Nordic Nutrition Recommendations. *Food & nutrition research*, 57, 10.3402/fnr.v57i0.20823.

<https://doi.org/10.3402/fnr.v57i0.20823>

Moore, E. R., Bergman, N., Anderson, G. C., & Medley, N. (2016). Early skin-to-skin contact for mothers and their healthy newborn infants. *The Cochrane database of systematic reviews*, 11(11), CD003519. <https://doi.org/10.1002/14651858.CD003519.pub4>

Unar-Munguía, M., Torres-Mejía, G., Colchero, M. A., & González de Cosío, T. (2017). Breastfeeding Mode and Risk of Breast Cancer: A Dose-Response Meta-Analysis. *Journal of human lactation : official journal of International Lactation Consultant Association*, 33(2), 422–434. <https://doi.org/10.1177/0890334416683676>

van Rossum CTM, Büchner FL, Hoekstra J (2005). Quantification of health effects of breastfeeding Review of the literature and model simulation. *Annals of Nutrition and Metabolism*. RIVM report 350040001/2005


Victora, C. G., Bahl, R., Barros, A. J., França, G. V., Horton, S., Krasevec, J., Murch, S., Sankar, M. J., Walker, N., Rollins, N. C., & Lancet Breastfeeding Series Group (2016). Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. *Lancet (London, England)*, 387(10017), 475–490. [https://doi.org/10.1016/S0140-6736\(15\)01024-7](https://doi.org/10.1016/S0140-6736(15)01024-7)

Amningsrekommendationer

Britton, C., McCormick, F. M., Renfrew, M. J., Wade, A., & King, S. E. (2007). Support for breastfeeding mothers. *The Cochrane database of systematic reviews*, (1), CD001141.

<https://doi.org/10.1002/14651858.CD001141.pub3>

Sammanställd av E Franklin (processledare VGR amning)



Gerd, A. T., Bergman, S., Dahlgren, J., Roswall, J., & Alm, B. (2012). Factors associated with discontinuation of breastfeeding before 1 month of age. *Acta paediatrica (Oslo, Norway: 1992)*, *101*(1), 55–60. <https://doi.org/10.1111/j.1651-2227.2011.02405.x>

Horta, B. L., Loret de Mola, C., & Victora, C. G. (2015). Long-term consequences of breastfeeding on cholesterol, obesity, systolic blood pressure and type 2 diabetes: a systematic review and meta-analysis. *Acta paediatrica (Oslo, Norway : 1992)*, *104*(467), 30–37. <https://doi.org/10.1111/apa.13133>

Ip, S., Chung, M., Raman, G., Chew, P., Magula, N., DeVine, D., Trikalinos, T., & Lau, J. (2007). Breastfeeding and maternal and infant health outcomes in developed countries. *Evidence report/technology assessment*, (153), 1–186.

Kramer, M. S., & Kakuma, R. (2012). Optimal duration of exclusive breastfeeding. *The Cochrane database of systematic reviews*, *2012*(8), CD003517. <https://doi.org/10.1002/14651858.CD003517.pub2>

Livsmedelsverket (2022). Nationella Amningsstrategi 2022-2027. Hämtad 2022-11-08 Från [Nationell amningsstrategi 2022-2027 \(livsmedelsverket.se\)](https://www.livsmedelsverket.se)

Livsmedelsverket. Spädbarn. Hämtad från 2021-11-08 [Spädbarn \(livsmedelsverket.se\)](https://www.livsmedelsverket.se)


SBU. Påverkan på amning av tidig nappanvändning (SBU); 2021. SBU:s upplysnings-tjänst. Hämtad 2021-07-10 från [Påverkan på amning av tidig nappanvändning \(sbu.se\)](https://www.sbu.se)

Smith, H. A., & Becker, G. E. (2016). Early additional food and fluids for healthy breastfed full-term infants. *The Cochrane database of systematic reviews*, *2016*(8), CD006462. <https://doi.org/10.1002/14651858.CD006462.pub4>

Förhållningssätt vid amningsvägledning

Palmér, L., Carlsson, G., Mollberg, M., & Nyström, M. (2012). Severe breastfeeding difficulties: Existential lostness as a mother—Women's lived experiences of initiating breastfeeding under severe difficulties. *International Journal of Qualitative Studies on Health and Well-being*, *7*. doi: 10.3402/qhw.v7i0.10846

Palmér, L., Carlsson, G., Brunt, D., & Nyström, M. (2014). Existential vulnerability can be evoked by severe difficulties with initial breastfeeding: a lifeworld hermeneutical single case study for research on complex breastfeeding phenomena. *Breastfeeding Review*, *22*(3), 21-32.



Palmér, L., Carlsson, G., Brunt, D., & Nyström, M (2015). Existential security is a necessary condition for continued breastfeeding despite severe initial difficulties: a lifeworld hermeneutical study. *International Breastfeeding Journal*, 10(17). DOI 10.1186/s13006-015-0042-9

Palmér, L. (2019). Previously experienced breastfeeding difficulties: An existential trauma with two intertwined pathways for future breastfeeding; Fear and longing. *International Journal of Qualitative studies ion health and wellbeing*. DOI: 10.1080/17482631.2019.1588034

Palmér, L., & Gustafsson, I. (2021). A Theoretical Model on Caring for Mothers With Initial Breastfeeding Difficulties: The Breastfeeding Story as a Hub for Caring Practice. *International Journal for Human Caring*, 25(1). <http://dx.doi.org/10.20467/HumanCaring-D-19-00056>

Internationella insatser

International Board of Lactation Consultant Examiners (IBLCE) 2021. IBLCE Advisory Opinion on Education for IBCLC Eligibility and Recertification. [2021_February_11_Advisory_Opinion_FINAL.pdf \(iblce.org\)](https://www.iblce.org/2021_February_11_Advisory_Opinion_FINAL.pdf)

Pérez-Escamilla, R., Martinez, J. L., & Segura-Pérez, S. (2016). Impact of the Baby-friendly Hospital Initiative on breastfeeding and child health outcomes: a systematic review. *Maternal & child nutrition*, 12(3), 402–417. <https://doi.org/10.1111/mcn.12294>

Region Stockholm (2020). Amningsstrategi för personal i vårdkedjan. Hämtad 2022-01-10 från [Amningsstrategi - Kunskapsstöd för vårdgivare \(kunskapsstodforvardgivare.se\)](https://www.kunskapsstodforvardgivare.se/)


Socialstyrelsen; (2018). Tio steg som främjar amning. Hämtad 2022.01-10 från <https://www.socialstyrelsen.se/globalassets/sharepoint-dokument/artikelkatalog/ovrigt/2021-10-7596.pdf>

Svenska Näringsdepartementet RSL (2013). Lag (2013:1054) om marknadsföring av modersmjölksersättning och tillskottsnäring. Hämtad 2022-01-10 från [Lag \(2013:1054\) om marknadsföring av modersmjölksersättning och tillskottsnäring Svensk författningssamling 2013:2013:1054 - Riksdagen](https://www.riksdagen.se/sv/dokument-lag/dokument-lag-samling/lag-2013-1054-om-marknadsforing-av-modersmjolksersattning-och-tillskottsnaring/Svensk-forfattningssamling-2013-2013-1054-Riksdagen)

UNICEF (2005) Innocenti Declaration 2005 on Infant and Young Child Feeding. Hämtad 2022-01-10 [Innocenti Declaration 2005 on Infant and Young Child Feeding \(unicef-irc.org\)](https://www.unicef.org/innocenti/declaration-2005)

World Health Organisation (1981). The international code of marketing of breast-milk substitutes. *Food & Nutrition Action in Health Systems*, Hämtad 2022-01-10 från [International Code of Marketing of Breast-Milk Substitutes \(who.int\)](https://www.who.int/publications/i/item/9241582410).

Sammanställd av E Franklin (processledare VGR amning)



World Health Organisation. (1989). Protecting, promoting and supporting breastfeeding: the special role of maternity services. A joint WHO/UNICEF statement. Geneva: World Health Organization; ISBN: 92 4 156130 0 Hämtad 2022-01-10 från <http://apps.who.int/iris/bitstream/handle/10665/39679/9241561300.pdf;jsessionid=17F13A-55447BC10C6B29AF7CC7E6B76A?sequence=1>

World Health Organisation. (1998) Evidence for the ten steps to successful breastfeeding. Geneva: World Health Organisation. Hämtad 2022-01-10 från Evidence for the ten steps to successful breastfeeding (who.int)

World Health Organisation. (2018) Ten steps to successful breastfeeding. Geneva: World Health Organisation. Hämtad 2022-01-10 <https://www.who.int/nutrition/bfhi/ten-steps/en/>

World Health Organization & United Nations Children's Fund. (2018). Protecting, promoting, and supporting breastfeeding in facilities providing maternity and newborn services: the revised Baby-friendly Hospital Initiative - Implementation guidance. Geneva: World Health Organisation. Hämtad 2022-01-10 från <https://www.who.int/nutrition/publications/infantfeeding/bfhi-implementation-2018.pdf>

World Health Organisation (2020). The international code of marketing of breast-milk substitutes: frequently asked questions on the roles and responsibilities of health workers. Geneva: World Health Organisation. Hämtad 2022-01-10 från [9789240005990-eng.pdf \(who.int\)](#)

Praktiska åtgärder för att främja amning

Förberedelser inför amning


Abbass-Dick, J., Brown, H. K., Jackson, K. T., Rempel, L., & Dennis, C. L. (2019). Perinatal breastfeeding interventions including fathers/partners: A systematic review of the literature. *Midwifery*, 75, 41–51. <https://doi.org/10.1016/j.midw.2019.04.001>

Cato, K., Sylvén, S. M., Skalkidou, A., & Rubertsson, C. (2014). Experience of the first breastfeeding session in association with the use of the hands-on approach by healthcare professionals: a population-based Swedish study. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 9(6), 294–300. <https://doi.org/10.1089/bfm.2014.0005>

Drugs.com (2024). Contraceptives, oral, combined use while breastfeeding. [Contraceptives, Oral, Combined use while Breastfeeding | Drugs.com](#)

Liu, L., Zhu, J., Yang, J., Wu, M., & Ye, B. (2017). The Effect of a Perinatal Breastfeeding Support Program on Breastfeeding Outcomes in Primiparous Mothers. *Western journal of nursing research*, 39(7), 906–923. <https://doi.org/10.1177/0193945916670645>

Sammanställd av E Franklin (processledare VGR amning)



McFadden, A., Gavine, A., Renfrew, M. J., Wade, A., Buchanan, P., Taylor, J. L., Veitch, E., Rennie, A. M., Crowther, S. A., Neiman, S., & MacGillivray, S. (2017). Support for healthy breastfeeding mothers with healthy term babies. *The Cochrane database of systematic reviews*, 2(2), CD001141. <https://doi.org/10.1002/14651858.CD001141.pub5>

Region Stockholm (2020). Mödrahälsovård. Amningsstrategi för personal i vårdkedjan. Hämtad 2022-01-10 från [Amningsstrategi - Kunskapsstöd för vårdgivare \(kunskapsstodforvardgivare.se\)](https://www.kunskapsstodforvardgivare.se)

Segev, L., Weitzman, G., Katz-Samson, G., Samson, A. O., Shrem, G., & Srebnik, N. (2023). Combined Hormonal Contraception during Breastfeeding-A Survey of Physician's Recommendations. *Journal of clinical medicine*, 12(22), 7110. <https://doi.org/10.3390/jcm12227110>

Tohotoa, J., Maycock, B., Hauck, Y. L., Howat, P., Burns, S., & Binns, C. W. (2009). Dads make a difference: an exploratory study of paternal support for breastfeeding in Perth, Western Australia. *International breastfeeding journal*, 4, 15. <https://doi.org/10.1186/1746-4358-4-15>

Victora, C. G., Bahl, R., Barros, A. J., França, G. V., Horton, S., Krasevec, J., Murch, S., Sankar, M. J., Walker, N., Rollins, N. C., & Lancet Breastfeeding Series Group (2016). Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. *Lancet (London, England)*, 387(10017), 475–490. [https://doi.org/10.1016/S0140-6736\(15\)01024-7](https://doi.org/10.1016/S0140-6736(15)01024-7)


World Health Organization (WHO). (2015). *Medical Eligibility Criteria for Contraceptive Use* (5th ed.). World Health Organization. [Medical Eligibility Criteria for Contraceptive Use - PubMed \(nih.gov\)](https://pubmed.ncbi.nlm.nih.gov/26111111/)

Widström, A. M., Lilja, G., Aaltomaa-Michalias, P., Dahllöf, A., Lintula, M., & Nissen, E. (2011). Newborn behaviour to locate the breast when skin-to-skin: a possible method for enabling early self-regulation. *Acta paediatrica (Oslo, Norway : 1992)*, 100(1), 79–85. <https://doi.org/10.1111/j.1651-2227.2010.01983.x>

Widström, A. M., Brimdyr, K., Svensson, K., Cadwell, K., & Nissen, E. (2019). Skin-to-skin contact the first hour after birth, underlying implications and clinical practice. *Acta paediatrica (Oslo, Norway : 1992)*, 108(7), 1192–1204. <https://doi.org/10.1111/apa.14754>

Amningsstart

Aarts, C., Hörnell, A., Kylberg, E., Hofvander, Y., & Gebre-Medhin, M. (1999). Breastfeeding patterns in relation to thumb sucking and pacifier use. *Pediatrics*, 104(4), e50. <https://doi.org/10.1542/peds.104.4.e50>



Alm, B., Wennergren, G., Möllborg, P., & Lagercrantz, H. (2016). Breastfeeding and dummy use have a protective effect on sudden infant death syndrome. *Acta paediatrica (Oslo, Norway: 1992)*, *105*(1), 31–38. <https://doi.org/10.1111/apa.13124>

Baddock, S. A., Galland, B. C., Bolton, D. P., Williams, S. M., & Taylor, B. J. (2006). Differences in infant and parent behaviors during routine bed sharing compared with cot sleeping in the home setting. *Pediatrics*, *117*(5), 1599–1607. <https://doi.org/10.1542/peds.2005-1636>

Ball, H. L., Ward-Platt, M. P., Heslop, E., Leech, S. J., & Brown, K. A. (2006). Randomised trial of infant sleep location on the postnatal ward. *Archives of disease in childhood*, *91*(12), 1005–1010. <https://doi.org/10.1136/adc.2006.09941>

Bergman NJ, Westrup B, Kuhn P, Daly M, Bertonecelli N, Caballero S, König K. (2018). Very early and continuous skin-to-skin contact. *ESCNH - European Standards of Care for Newborn Health* (newborn-health-standards.org). [Very early and continuous skin-to-skin contact - ESCNH - European Standards of Care for Newborn Health \(newborn-health-standards.org\)](https://www.newborn-health-standards.org/very-early-and-continuous-skin-to-skin-contact-escnh-european-standards-of-care-for-newborn-health)

Blair, P. S., Sidebotham, P., Pease, A., & Fleming, P. J. (2014). Bed-sharing in the absence of hazardous circumstances: is there a risk of sudden infant death syndrome? An analysis from two case-control studies conducted in the UK. *PloS one*, *9*(9), e107799. <https://doi.org/10.1371/journal.pone.0107799>


Blair P, Inch S. The health professional's guide to "Caring for your baby at night". UNICEF UK Baby friendly initiative. Caring for your baby at night. Information till föräldrar. Hämtad 22-01.09 från www.unicef.org.uk/caringatnight

Bramson, L., Lee, J. W., Moore, E., Montgomery, S., Neish, C., Bahjri, K., & Melcher, C. L. (2010). Effect of early skin-to-skin mother--infant contact during the first 3 hours following birth on exclusive breastfeeding during the maternity hospital stay. *Journal of human lactation : official journal of International Lactation Consultant Association*, *26*(2), 130–137. <https://doi.org/10.1177/0890334409355779>

Brimdyr, K., Cadwell, K., Svensson, K., Takahashi, Y., Nissen, E., & Widström, A. M. (2020). The nine stages of skin-to-skin: practical guidelines and insights from four countries. *Maternal & child nutrition*, *16*(4), e13042. <https://doi.org/10.1111/mcn.13042>

Bystrova, K., Widström, A. M., Matthiesen, A. S., Ransjö-Arvidson, A. B., Welles-Nyström, B., Wassberg, C., Vorontsov, I., & Uvnäs-Moberg, K. (2003). Skin-to-skin contact may reduce negative consequences of "the stress of being born": a study on temperature in newborn infants, subjected to different ward routines in St. Petersburg. *Acta paediatrica (Oslo, Norway : 1992)*, *92*(3), 320–326. <https://doi.org/10.1080/08035250310009248>

Sammanställd av E Franklin (processledare VGR amning)



Cato, K., Sylvén, S. M., Skalkidou, A., & Rubertsson, C. (2014). Experience of the first breastfeeding session in association with the use of the hands-on approach by healthcare professionals: a population-based Swedish study. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 9(6), 294–300.

<https://doi.org/10.1089/bfm.2014.0005>

Chiou, S. T., Chen, L. C., Yeh, H., Wu, S. R., & Chien, L. Y. (2014). Early skin-to-skin contact, rooming-in, and breastfeeding: a comparison of the 2004 and 2011 National Surveys in Taiwan. *Birth (Berkeley, Calif.)*, 41(1), 33–38. <https://doi.org/10.1111/birt.12090>

Colson S. (2005). Maternal breastfeeding positions: have we got it right?. *The practising midwife*, 8(10), 24–27.

Colson S. (2007). Biological nurturing (1). A non-prescriptive recipe for breastfeeding. *The practising midwife*, 10(9), 42–47.

Colson S. (2012). Biological Nurturing: the laid-back breastfeeding revolution. *Midwifery today with international midwife*, (101), 9–66.

Cotterman K. J. (2004). Reverse pressure softening: a simple tool to prepare areola for easier latching during engorgement. *Journal of human lactation : official journal of International Lactation Consultant Association*, 20(2), 227–237.


<https://doi.org/10.1177/0890334404264224>

de Onis, M., & Onyango, A. W. (2003). The Centers for Disease Control and Prevention 2000 growth charts and the growth of breastfed infants. *Acta paediatrica (Oslo, Norway : 1992)*, 92(4), 413–419. <https://doi.org/10.1111/j.1651-2227.2003.tb00570.x>

de Onis, M., Garza, C., Onyango, A. W., Rolland-Cachera, M. F., & le Comité de nutrition de la Société française de pédiatrie (2009). Les standards de croissance de l'Organisation mondiale de la santé pour les nourrissons et les jeunes enfants [WHO growth standards for infants and young children]. *Archives de pediatrie : organe officiel de la Societe francaise de pediatrie*, 16(1), 47–53. <https://doi.org/10.1016/j.arcped.2008.10.010>

Doan, T., Gardiner, A., Gay, C. L., & Lee, K. A. (2007). Breast-feeding increases sleep duration of new parents. *The Journal of perinatal & neonatal nursing*, 21(3), 200–206. <https://doi.org/10.1097/01.JPN.0000285809.36398.1b>

Doan, T., Gay, C. L., Kennedy, H. P., Newman, J., & Lee, K. A. (2014). Nighttime breastfeeding behavior is associated with more nocturnal sleep among first-time mothers at one month postpartum. *Journal of clinical sleep medicine : JCSM : official publication of the American Academy of Sleep Medicine*, 10(3), 313–319. <https://doi.org/10.5664/jcsm.3538>



Erlandsson, K. (2007). Care of the newborn infant during maternal-infant separation. The father as primary caregiver immediately after birth and the mothers experience of separation and later reunion with the infant. (Doktorsavhandling Karolinska institutet, Stockholm, 2007). [Care of the newborn infant during maternal-infant separation \(ki.se\)](#)

Hauck, F. R., Omojokun, O. O., & Siadaty, M. S. (2005). Do pacifiers reduce the risk of sudden infant death syndrome? A meta-analysis. *Pediatrics*, *116*(5), e716–e723. <https://doi.org/10.1542/peds.2004-2631>

Herlenius, E; Andersson O; Svensson K, Malmström K. Sudden Unexpected Postnatal Collapse (SUPC) – Plötslig oväntad spädbarnskollaps. 2017. Säker förlossningsvård. Landstingens Ömsesidiga Försäkringsbolag www.lof.se/patientsakerhet/vara-projekt/saker-forlossningsvard/

Hermanson, Å., & Åstrand, L. L. (2020). The effects of early pacifier use on breastfeeding: A randomised controlled trial. *Women and birth : journal of the Australian College of Midwives*, *33*(5), e473–e482. <https://doi.org/10.1016/j.wombi.2019.10.001> (Sammanfattning på svenska finns på [Barnmorska: ”Är vi för stränga med nappen”? | Vårdfokus \(vardfokus.se\)](#))


Hörnell, A., Aarts, C., Kylberg, E., Hofvander, Y., & Gebre-Medhin, M. (1999). Breastfeeding patterns in exclusively breastfed infants: a longitudinal prospective study in Uppsala, Sweden. *Acta paediatrica (Oslo, Norway : 1992)*, *88*(2), 203–211. <https://doi.org/10.1080/08035259950170402>

Ingram, J., Johnson, D., & Greenwood, R. (2002). Breastfeeding in Bristol: teaching good positioning, and support from fathers and families. *Midwifery*, *18*(2), 87–101. <https://doi.org/10.1054/midw.2002.0308>

Iyer, N. P., Srinivasan, R., Evans, K., Ward, L., Cheung, W. Y., & Matthes, J. W. (2008). Impact of an early weighing policy on neonatal hypernatraemic dehydration and breast feeding. *Archives of disease in childhood*, *93*(4), 297–299. <https://doi.org/10.1136/adc.2006.108415nom>

Jensen, D., Wallace, S., & Kelsay, P. (1994). LATCH: a breastfeeding charting system and documentation tool. *Journal of obstetric, gynecologic, and neonatal nursing : JOGNN*, *23*(1), 27–32. <https://doi.org/10.1111/j.1552-6909.1994.tb01847.x>

Kent, J. C., Mitoulas, L. R., Cregan, M. D., Ramsay, D. T., Doherty, D. A., & Hartmann, P. E. (2006). Volume and frequency of breastfeedings and fat content of breast milk throughout the day. *Pediatrics*, *117*(3), e387–e395. <https://doi.org/10.1542/peds.2005-1417>



Mikiel-Kostyra, K., Mazur, J., & Bołtruszko, I. (2002). Effect of early skin-to-skin contact after delivery on duration of breastfeeding: a prospective cohort study. *Acta paediatrica (Oslo, Norway : 1992)*, *91*(12), 1301–1306. <https://doi.org/10.1080/08035250216102>

Mitchell, E. A., Blair, P. S., & L'Hoir, M. P. (2006). Should pacifiers be recommended to prevent sudden infant death syndrome?. *Pediatrics*, *117*(5), 1755–1758. <https://doi.org/10.1542/peds.2005-1625>

Moore, E. R., Bergman, N., Anderson, G. C., & Medley, N. (2016). Early skin-to-skin contact for mothers and their healthy newborn infants. *The Cochrane database of systematic reviews*, *11*(11), CD003519. <https://doi.org/10.1002/14651858.CD003519.pub4>

Nommsen-Rivers, L. A., Heinig, M. J., Cohen, R. J., & Dewey, K. G. (2008). Newborn wet and soiled diaper counts and timing of onset of lactation as indicators of breastfeeding inadequacy. *Journal of human lactation : official journal of International Lactation Consultant Association*, *24*(1), 27–33. <https://doi.org/10.1177/0890334407311538>

Pejovic, N. J., & Herlenius, E. (2013). Unexpected collapse of healthy newborn infants: risk factors, supervision and hypothermia treatment. *Acta paediatrica (Oslo, Norway : 1992)*, *102*(7), 680–688. <https://doi.org/10.1111/apa.12244>


Shah, M. H., Roshan, R., Parikh, T., Sathe, S., Vaidya, U., & Pandit, A. (2021). LATCH Score at Discharge: A Predictor of Weight Gain and Exclusive Breastfeeding at 6 Weeks in Term Healthy Babies. *Journal of pediatric gastroenterology and nutrition*, *72*(2), e48–e52. <https://doi.org/10.1097/MPG.0000000000002927>

Socialstyrelsen. (2014). Minska risken för plötslig spädbarnsdöd – Sex råd till dig som förälder. Hämtad 2022-01-10 från <http://www.socialstyrelsen.se/publikationer2014/2014-8-2>

Socialstyrelsen (2014). Minska risken för plötslig spädbarnsdöd. En vägledning för hälso- och sjukvårdspersonal. ISBN 978-91-7555-157-9. Hämtad 2022-01-10 från <https://www.socialstyrelsen.se/globalassets/sharepoint-dokument/artikelkatalog/kunskapsstod/2014-3-3.pdf>

Sowjanya, S., & Venugopalan, L. (2018). LATCH Score as a Predictor of Exclusive Breastfeeding at 6 Weeks Postpartum: A Prospective Cohort Study. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, *13*(6), 444–449. <https://doi.org/10.1089/bfm.2017.0142>

Tornese, G., Ronfani, L., Pavan, C., Demarini, S., Monasta, L., & Davanzo, R. (2012). Does the LATCH score assessed in the first 24 hours after delivery predict non-exclusive breastfeeding at hospital discharge?. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, *7*(6), 423–430. <https://doi.org/10.1089/bfm.2011.0120>



Weimers, L., Svensson, K., Dumas, L., Navér, L., & Wahlberg, V. (2006). Hands-on approach during breastfeeding support in a neonatal intensive care unit: a qualitative study of Swedish mothers' experiences. *International breastfeeding journal*, *1*, 20.

<https://doi.org/10.1186/1746-4358-1-20>

Widström, A. M., Lilja, G., Aaltomaa-Michalias, P., Dahllöf, A., Lintula, M., & Nissen, E. (2011). Newborn behaviour to locate the breast when skin-to-skin: a possible method for enabling early self-regulation. *Acta paediatrica (Oslo, Norway : 1992)*, *100*(1), 79–85. <https://doi.org/10.1111/j.1651-2227.2010.01983.x>

Widström, A. M., Brimdyr, K., Svensson, K., Cadwell, K., & Nissen, E. (2019). Skin-to-skin contact the first hour after birth, underlying implications and clinical practice. *Acta paediatrica (Oslo, Norway : 1992)*, *108*(7), 1192–1204. <https://doi.org/10.1111/apa.14754>

van Dommelen, P., Boer, S., Unal, S., & van Wouwe, J. P. (2014). Charts for weight loss to detect hypernatremic dehydration and prevent formula supplementing. *Birth (Berkeley, Calif.)*, *41*(2), 153–159. <https://doi.org/10.1111/birt.12105>

Vennemann MM, Bajanowski T, Brinkmann B, Jorch G, Yücesan K, Sauerland C, Mitchell EA and the GeSID Study Group. 2009. Does Breastfeeding Reduce the Risk of Sudden Infant Death Syndrome? *Pediatrics*. 123;e 406-e410

Komplicerad amningsstart


AMSAK (2021). Guide till föräldrar och personal -att minska/ta bort tillmatning och övergå till att amma helt Hämtad 2022-01-10 från [Guide till föräldrar och personal Amsak.pdf | Vårdgivarguiden \(vardgivarguiden.se\)](#)

Becker, G. E., Smith, H. A., & Cooney, F. (2016). Methods of milk expression for lactating women. *The Cochrane database of systematic reviews*, *9*(9), CD006170. <https://doi.org/10.1002/14651858.CD006170.pub5>

Cassidy D. [Epidural Anesthesia and its impact on breastfeeding initiation and duration.](#) Gold online breastfeeding conference 2014.

Chantry, C. J., Dewey, K. G., Peerson, J. M., Wagner, E. A., & Nommsen-Rivers, L. A. (2014). In-hospital formula use increases early breastfeeding cessation among first-time mothers intending to exclusively breastfeed. *The Journal of pediatrics*, *164*(6), 1339–45.e5. <https://doi.org/10.1016/j.jpeds.2013.12.035>

Sammanställd av E Franklin (processledare VGR amning)



Chertok, I. R., Raz, I., Shoham, I., Haddad, H., & Wiznitzer, A. (2009). Effects of early breastfeeding on neonatal glucose levels of term infants born to women with gestational diabetes. *Journal of human nutrition and dietetics: the official journal of the British Dietetic Association*, 22(2), 166–169. <https://doi.org/10.1111/j.1365-277X.2008.00921.x>


Chow, S., Chow, R., Popovic, M., Lam, H., Merrick, J., Ventegodt, S., Milakovic, M., Lam, M., Popovic, M., Chow, E., & Popovic, J. (2015). The Use of Nipple Shields: A Review. *Frontiers in public health*, 3, 236. <https://doi.org/10.3389/fpubh.2015.00236>

Coentro, V. S., Perrella, S. L., Lai, C. T., Rea, A., Murray, K., & Geddes, D. T. (2020). Effect of nipple shield use on milk removal: a mechanistic study. *BMC pregnancy and childbirth*, 20(1), 516. <https://doi.org/10.1186/s12884-020-03191-5>

Amningsnedläggning

EMA (2008). EMA recommends new warnings and contraindications for ergot-derived dopamine agonists. Press Release. European Medicines Agency. June 26 2008. [EMA recommends new warnings and contraindications for ergot-derived dopamine agonists | European Medicines Agency \(europa.eu\)](https://www.ema.europa.eu/en/press-room/2008/06/warning-contraindications-ergot-agonists)

EMA (2014). Bromocriptine-containing medicines indicated in the prevention or suppression of physiological lactation post-partum – referral. [Bromocriptine-containing medicines indicated in the prevention or suppression of physiological lactation post-partum - referral | European Medicines Agency \(europa.eu\)](https://www.ema.europa.eu/en/press-room/2014/06/bromocriptine-containing-medicines)



Coentro, V. S., Perrella, S. L., Lai, C. T., Rea, A., Dymock, M., & Geddes, D. T. (2021). Nipple shield use does not impact sucking dynamics in breastfeeding infants of mothers with nipple pain. *European journal of pediatrics*, 180(5), 1537–1543.

<https://doi.org/10.1007/s00431-020-03901-3>

Collins, C. T., Gillis, J., McPhee, A. J., Sukanuma, H., & Makrides, M. (2016). Avoidance of bottles during the establishment of breast feeds in preterm infants. *The Cochrane database of systematic reviews*, 10(10), CD005252. <https://doi.org/10.1002/14651858.CD005252.pub4>

Flint, A., New, K., & Davies, M. W. (2016). Cup feeding versus other forms of supplemental enteral feeding for newborn infants unable to fully breastfeed. *The Cochrane database of systematic reviews*, 2016(8), CD005092. <https://doi.org/10.1002/14651858.CD005092.pub3>

Forster, D. A., Moorhead, A. M., Jacobs, S. E., Davis, P. G., Walker, S. P., McEgan, K. M., Opie, G. F., Donath, S. M., Gold, L., McNamara, C., Aylward, A., East, C., Ford, R., & Amir, L. H. (2017). Advising women with diabetes in pregnancy to express breastmilk in late pregnancy (Diabetes and Antenatal Milk Expressing [DAME]): a multicentre, unblinded, randomised controlled trial. *Lancet (London, England)*, 389(10085), 2204–2213. [https://doi.org/10.1016/S0140-6736\(17\)31373-9](https://doi.org/10.1016/S0140-6736(17)31373-9)


Gerd, A. T., Bergman, S., Dahlgren, J., Roswall, J., & Alm, B. (2012). Factors associated with discontinuation of breastfeeding before 1 month of age. *Acta paediatrica (Oslo, Norway: 1992)*, 101(1), 55–60. <https://doi.org/10.1111/j.1651-2227.2011.02405.x>

Jankov Picha P. (2013). *Att Flaskmata En handbok för dig som vill flaskmata din bäbis*. <http://www.attflaskmata.se/kop-boken-att-flaskmata/>

Karlström, A., Engström-Olofsson, R., Norbergh, K. G., Sjöling, M., & Hildingsson, I. (2007). Postoperative pain after cesarean birth affects breastfeeding and infant care. *Journal of obstetric, gynecologic, and neonatal nursing : JOGNN*, 36(5), 430–440. <https://doi.org/10.1111/j.1552-6909.2007.00160.x>

Kassing D. (2002). Bottle-feeding as a tool to reinforce breastfeeding. *Journal of human lactation : official journal of International Lactation Consultant Association*, 18(1), 56–60. <https://doi.org/10.1177/089033440201800110>

Kent, J. C., Ashton, E., Hardwick, C. M., Rowan, M. K., Chia, E. S., Fairclough, K. A., Menon, L. L., Scott, C., Mather-McCaw, G., Navarro, K., & Geddes, D. T. (2015). Nipple Pain in Breastfeeding Mothers: Incidence, Causes and Treatments. *International journal of environmental research and public health*, 12(10), 12247–12263. <https://doi.org/10.3390/ijerph121012247>



Kernerman E. (2013). Shifting the baby's paradigm. Solving breast refusal and inability to latch. Gold online breastfeeding conference.

Morton J. (2012). The importance of hands. *Journal of human lactation : official journal of International Lactation Consultant Association*, 28(3), 276–277.
<https://doi.org/10.1177/0890334412444930>

Morton, J. (2017) Maximizing milk production with hands-on pumping. Online resource.
[Maximizing Milk Production | Newborn Nursery | Stanford Medicine](#)

Neifert M. R. (2001). Prevention of breastfeeding tragedies. *Pediatric clinics of North America*, 48(2), 273–297. [https://doi.org/10.1016/s0031-3955\(08\)70026-9](https://doi.org/10.1016/s0031-3955(08)70026-9)

Ransjö-Arvidson, A. B., Matthiesen, A. S., Lilja, G., Nissen, E., Widström, A. M., & Uvnäs-Moberg, K. (2001). Maternal analgesia during labor disturbs newborn behavior: effects on breastfeeding, temperature, and crying. *Birth (Berkeley, Calif.)*, 28(1), 5–12.
<https://doi.org/10.1046/j.1523-536x.2001.00005.x>

Rayfield, S., Oakley, L., & Quigley, M. A. (2015). Association between breastfeeding support and breastfeeding rates in the UK: a comparison of late preterm and term infants. *BMJ open*, 5(11), e009144. <https://doi.org/10.1136/bmjopen-2015-009144>

Sievers, E., Haase, S., Oldigs, H. D., & Schaub, J. (2003). The impact of peripartum factors on the onset and duration of lactation. *Biology of the neonate*, 83(4), 246–252.
<https://doi.org/10.1159/000069485>


SOSFS 2008:33 Socialstyrelsens föreskrifter om information som avser uppfödning genom amning eller modersmjölksersättning. SOSFS 2008:33
https://www.socialstyrelsen.se/globalassets/sharepoint-dokument/artikelkatalog/foreskrifter-och-allmanna-rad/2008_33.pdf

Smith L. J. (2007). Impact of birthing practices on the breastfeeding dyad. *Journal of midwifery & women's health*, 52(6), 621–630. <https://doi.org/10.1016/j.jmwh.2007.07.019>

Smith, H. A., & Becker, G. E. (2016). Early additional food and fluids for healthy breastfed full-term infants. *The Cochrane database of systematic reviews*, 2016(8), CD006462.
<https://doi.org/10.1002/14651858.CD006462.pub4>

Svenska neonatalsektionen. (2017)., Vårdprogram Neonatal Hypoglykemi. Hämtad 2022-01-10 från [Nationellt postnatal hypoglykemi vårdprogram final.pdf \(barnlakarforeningen.se\)](#)

Thorstensson, S., Andersson, A., Israelsson, S., Ekström, A., & Hertfelt Wahn, E. (2016). To build a bridge between two worlds: Mothers' experiences of professional support at the



maternity ward. *Health care for women international*, 37(10), 1067–1081.

<https://doi.org/10.1080/07399332.2015.1094072>

Wackernagel, D., Bonamy, AK., Gustafsson, A., Reims, A., Hansen Pupp, I., Ahlsson, F., Elfving, M., Domellöf, M. (2017). Nationellt vårdprogram Neonatal hypoglykemi hos nyfödda med gestationsålder ≥ 35 veckor.

[Nationellt postnatal hypoglykemi vårdprogram final.pdf \(barnlakarforeningen.se\)](#)

WHO. (2009). Acceptable medical reasons for use of breast-milk substitutes. Hämtad 2022-01-10 från http://whqlibdoc.who.int/hq/2009/WHO_FCH_CAH_09.01_eng.pdf

Wiklund, I., Norman, M., Uvnäs-Moberg, K., Ransjö-Arvidson, A. B., & Andolf, E. (2009). Epidural analgesia: breast-feeding success and related factors. *Midwifery*, 25(2), e31–e38.

<https://doi.org/10.1016/j.midw.2007.07.005>



Referensförteckning – generella

Hanson LÅ. (2004). Immunobiology of Human Milk: How breastfeeding protects babies. Pharmasoft: Texas.

Hedberg Nyqvist, K. (2013). Uppfödning. I Lundqvist, P. Omvårdnad av det nyfödda barnet. Lund: Studentlitteratur.

Kylberg E, Westlund AM, Zwedberg S. (2021). Amning i dag. Stockholm: Gothia.

Magnusson, M., Hagelin, E., Sundelin, C., & Blennow, M. (2009). Barnhälsovård. Stockholm Liber.

Riordan J., Wambach, J. (2015). Breastfeeding and Human Lactation. 5th edition. Jones & Bartlett Publishers.

Walker M (Editor). (2002). Core Curriculum for Lactation Consultant Practice. 1st edition. Jones & Bartlett Publishers.